





NO.	ECN NO.	DESCRIPTION	REV.	DRAW	DATE

NOTES:
1.MATERIAL:
CAGE:COPPER ALLOY,THICKNESS:0.25mm;
CONNECTOR HOUSING:GLASS FILLED THERMOPLASTIC,UL 94V-0
COLOR:BLACK
TERMINALS:PHOSPHOR BRONZE
2.FINISH
TERMINALS CONTACT AREA:PLATED-GOLD;
SOLDER TERMINAL AREA:PLATED-TIN.

46026-02XXX1
M32:Ni50u",Au15u",Matte Sn150u"
M31:Ni50u",Au30u",Matte Sn150u"

未注公差 容许公差 TOLERANCE .X ±0.35 X.° ±2° .XX ±0.25 .X.° ±1° .XXX ±0.15 .XX° ±0.5°				GLGNET® 深圳方向电子有限公司 SHEN ZHEN GLGNET ELECTRONICS CO.,LTD.			
比例 SCALE	1:1	角法 PROJ.		设计 DESIGN		品名 TITLE	2x6 SFP-C-01
张数 SHEET	1/4	纸张 SIZE	A4	校对 CHECKED		料号 ITEM NO.	46026-02XXX1
单位 UNIT	mm	版本 REV.	A3	核准 APPROVE		图号 DWG NO.	GLG-WS-066



NO.	ECN NO.	DESCRIPTION	REV.	DRAW	DATE


未注公差 容许公差 TOLERANCE .X ±0.35 X.° ±2° .XX ±0.25 .X° ±1°

.XXX



±0.15

.XX°

±0.5°



NO.	ECN NO.	DESCRIPTION	REV.	DRAW	DATE



- 1. RECOMENDED PCB LAYOUT (COMPONENT SIDE)
PCB TOLERANCE ±0.05
- 2. RECOMMENDED PCB THICKNESS:2.36
(MINIMUM PCB THICKNESS:1.57)
- 3. 考虑客户使用兼容性器件, 处孔位, 建议PCB LAYOUT图有设计, 但我司此规格器件处无对应引脚.

未注公差
容许公差 TOLERANCE
.X ±0.35 X.° ±2°
.XX ±0.25 .X.° ±1°
.XXX ±0.15 .XX.° ±0.5°

GLGNET® 深圳方向电子有限公司
SHEN ZHEN GLGNET ELECTRONICS CO.,LTD.

比例 SCALE	1:1	角法 PROJ.		设计 DESIGN		品名 TITLE	2x6 SFP-C-01
张数 SHEET	3/4	纸张 SIZE	A4	校对 CHECKED		料号 ITEM NO.	46026-02XXX1
单位 UNIT	mm	版本 REV.	A3	核准 APPROVE		图号 DWG NO.	GLG-WS-066

