









NO.	ECN NO.	DESCRIPTION	REV.	DRAW	DATE
1					
2					
3					



DETAIL B(SCALE 2:1)


NOTES:
1.CAGE: COPPER ALLOY THICKNESS:0.25mm
2.HEAT SINK: ALUMINUM(SURFACE TREATMENT:BLACK OXIDE).
3.CLIP: STAINLESS STEEL.

未注公差 容许公差 TOLERANCE . X X. . XX ±0.25 .X° ±1° . XXX±0.10 .XX° ±				GLGNET® 深圳方向电子有限公司 SHEN ZHEN GLGNET ELECTRONICS CO.,LTD.			
比例 SCALE	1:1	角法 PROJ.		设计 DESIGN		品名 TITLE	QSFP28 1x1-A0 WITH HEAT SINK
张数 SHEET	1/3	纸张 SIZE	A4	校对 CHECKED		料号 ITEM NO.	49001-00N011
单位 UNIT	mm	版本 REV.	A0	核准 APPROVE		图号 DWG NO.	GLG-WS-190




未注公差 容许公差 TOLERANCE .X X° .XX ±0.25 .X° ±1° .XXX ±0.10 .XX° ±				GLGNET® 深圳方向电子有限公司 SHEN ZHEN GLGNET ELECTRONICS CO.,LTD.			
比例 SCALE	1:1	角法 PROJ.		设计 DESIGN		品名 TITLE	QSFP28 1x1-A0 WITH HEAT SINK
张数 SHEET	2/3	纸张 SIZE	A4	校对 CHECKED		料号 ITEM NO.	49001-00N011
单位 UNIT	mm	版本 REV.	A0	核准 APPROVE		图号 DWG NO.	GLG-WS-190


NO.	ECN NO.	DESCRIPTION	REV.	DRAW	DATE
1					
2					
3					



RECOMMENDED PCB LAYOUT (COMPONENT SIDE)
RECOMMENDED MINIMUM PCB THICKNESS:1.57mm
(ALL TOLERANCES ARE ± 0.05)
SINGLE SIDED APPLICATIONS



RECOMMENDED PCB LAYOUT (COMPONENT SIDE)
RECOMMENDED MINIMUM PCB THICKNESS:3.00mm
(ALL TOLERANCES ARE ± 0.05)
BELLY TO BELLY APPLICATIONS



DETAIL A(SCALE 2:1)

未注公差 容许公差 TOLERANCE		.X X°		.XX ±0.25 .X° ±1°		.XXX ±0.10 .XX° ±	
比例 SCALE	1:1	角法 PROJ.		设计 DESIGN		品名 TITLE	QSF28 1x1-A0 WITH HEAT SINK
张数 SHEET	3/3	纸张 SIZE	A4	校对 CHECKED		料号 ITEM NO.	49001-00N011
单位 UNIT	mm	版本 REV.	A0	核准 APPROVE		图号 DWG NO.	GLG-WS-190

GLGNET® 深圳方向电子有限公司
SHEN ZHEN GLGNET ELECTRONICS CO.,LTD.